ELSEVIER

Hearing Research 135 (1999) 191

HEARING RESEARCH

Author Index Volume 135

Abbas, P.J., see Miller, C.A. (135) 1
Aigner, M., see Kierner, A.C. (135) 71

Bergstrom, R.A., see Jones, S.M. (135) 56
Bobbin, R.P., see LeBlanc, C.S. (135) 105
Brownell, W.E., see Oghalai, J.S. (135) 19
Brownell, W.E., see Lue, A.J.-C. (135) 163

Eggermont, J.J., see Kimura, M. (135) 146
Erway, L.C., see Jones, S.M. (135) 56

Fallon, M., see LeBlanc, C.S. (135) 105

García-Díaz, J.F.
Development of a fast transient potassium current in chick cochlear ganglion neurons (135) 124
Gawai, K.R., see Mei, Y. (135) 169

Hao, L.F., see Khanna, S.M. (135) 89
Helfert, R.H., see Mei, Y. (135) 169
Henson, M.M., see Sato, M. (135) 29
Henson Jr., O.W., see Sato, M. (135) 29
Husbands, J.M., Steinberg, S.A., Kurian, R. and Saunders, J.C.
Tip-link integrity on chick tall hair cell stereocilia following intense sound exposure (135) 135

Jones, S.M., Erway, L.C., Bergstrom, R.A., Schimenti, J.C. and Jones, T.A.
Vestibular responses to linear acceleration are absent in otoconia-deficient C57BL/6JEi-het mice (135) 56
Jones, T.A., see Jones, S.M. (135) 56

Khanna, S.M. and Hao, L.F.
Nonlinearity in the apical turn of living guinea pig cochlea (135) 89
Kierner, A.C., Zelenka, I., Lukas, J.R., Aigner, M. and Mayr, R.
Observations on the number, distribution and morphological peculiarities of muscle spindles in the tensor tympani and stapedius muscle of man (135) 71
Kimura, M. and Eggermont, J.J.
Effects of acute pure tone induced hearing loss on response properties in three auditory cortical fields in cat (135) 146
Kurian, R., see Husbands, J.M. (135) 135

LeBlanc, C.S., Fallon, M., Parker, M.S., Skellett, R. and Bobbin, R.P.
Phosphorothioate oligodeoxynucleotides can selectively alter neuronal activity in the cochlea (135) 105
Lue, A.J.-C. and Brownell, W.E.
Salicylate induced changes in outer hair cell lateral wall stiffness (135) 163
Lukas, J.R., see Kierner, A.C. (135) 71

Marcotti, W., Russo, G. and Prigioni, I.
Inactivating and non-inactivating delayed rectifier K^+ currents in hair cells of frog crista ampullaris (135) 113
Mayr, R., see Kierner, A.C. (135) 71
Mei, Y., Gawai, K.R., Nie, Z., Ramkumar, V. and Helfert, R.H.
Age-related reductions in the activities of antioxidant enzymes in the rat inferior colliculus (135) 169
Miller, A.L., Smith, D.W. and Pfingst, B.E.
Across-species comparisons of psychophysical detection thresholds for electrical stimulation of the cochlea: II. Strength-duration functions for single, biphasic pulses (135) 47
Miller, C.A., Abbas, P.J. and Rubinstein, J.T.
An empirically based model of the electrically evoked compound action potential (135) 1

Nakagawa, T., see Oghalai, J.S. (135) 19
Nie, Z., see Mei, Y. (135) 169

Oghalai, J.S., Tran, T.D., Raphael, R.M., Nakagawa, T. and Brownell, W.E.
Transverse and lateral mobility in outer hair cell lateral wall membranes (135) 19

Parker, M.S., see LeBlanc, C.S. (135) 105
Pfingst, B.E., see Miller, A.L. (135) 47
Popelář, J., Valvoda, J. and Syka, J.
Acoustically and electrically evoked contralateral suppression of otoacoustic emissions in guinea pigs (135) 61
Prigioni, I., see Marcotti, W. (135) 113

Ramkumar, V., see Mei, Y. (135) 169
Raphael, R.M., see Oghalai, J.S. (135) 19
Reuss, S., see Riemann, R. (135) 181
Riemann, R. and Reuss, S.
Nitric oxide synthase in identified olivocochlear projection neurons in rat and guinea pig (135) 181
Rubinstein, J.T., see Miller, C.A. (135) 1
Russo, G., see Marcotti, W. (135) 113

Sato, M., Henson, M.M., Henson Jr., O.W. and Smith, D.W.
The innervation of outer hair cells: 3D reconstruction from TEM serial sections in the Japanese macaque (135) 29
Saunders, J.C., see Husbands, J.M. (135) 135
Schimenti, J.C., see Jones, S.M. (135) 56
Skellett, R., see LeBlanc, C.S. (135) 105
Smith, D.W., see Sato, M. (135) 29
Smith, D.W., see Miller, A.L. (135) 47
Steinberg, S.A., see Husbands, J.M. (135) 135
Syka, J., see Popelář, J. (135) 61

Tran, T.D., see Oghalai, J.S. (135) 19
Turner, J.G., see Willott, J.F. (135) 78

Valvoda, J., see Popelář, J. (135) 61

Willott, J.F. and Turner, J.G.
Prolonged exposure to an augmented acoustic environment ameliorates age-related auditory changes in C57BL/6J and DBA/2J mice (135) 78
Wysocki, J.
Dimensions of the human vestibular and tympanic scalae (135) 39

Zelenka, I., see Kierner, A.C. (135) 71

ELSEVIER

Hearing Research 135 (1999) 192–195

HEARING RESEARCH

Subject Index Volume 135

Acoustic injury
Auditory system; Chick; Hair cell; Tip link; Basilar papilla; Hearing loss; Cochlear damage; Recovery of function (Husbands, J.M. (135) 135)

Acoustic stimulation
Evoked otoacoustic emission; Contralateral suppression; Electrical stimulation; Guinea pig (Popelář, J. (135) 61)

Aging
Inferior colliculus; Antioxidant enzyme; Malondialdehyde; Protein kinase C; Mitochondrion; Gamma-aminobutyric acid (Mei, Y. (135) 169)

Animal
Cochlear implant; Psychophysics; Human; Single pulse; Threshold; Auditory prosthesis; Species; Strength-duration function (Miller, A.L. (135) 47)

Antioxidant enzyme
Inferior colliculus; Aging; Malondialdehyde; Protein kinase C; Mitochondrion; Gamma-aminobutyric acid (Mei, Y. (135) 169)

Antisense
Toxicity; Cochlear potential; Otoacoustic emission; ATP receptor (LeBlanc, C.S. (135) 105)

ATP receptor
Antisense; Toxicity; Cochlear potential; Otoacoustic emission (LeBlanc, C.S. (135) 105)

Auditory brainstem response
Sensorineural hearing loss; Mouse model; Prepulse inhibition; Startle (Willott, J.F. (135) 78)

Auditory cortex
Noise trauma; Cat; Single unit; Local field potential; Frequency tuning; Spontaneous activity; Tinnitus (Kimura, M. (135) 146)

Auditory nerve
Cochlear implant; Electrical stimulation; Cat; Single-fiber recording; Compound action potential; Model; Population response (Miller, C.A. (135) 1)

Auditory prosthesis
Cochlear implant; Psychophysics; Human; Animal; Single pulse; Threshold; Species; Strength-duration function (Miller, A.L. (135) 47)

Auditory system
Chick; Hair cell; Tip link; Basilar papilla; Acoustic injury; Hearing loss; Cochlear damage; Recovery of function (Husbands, J.M. (135) 135)

Basilar papilla
Auditory system; Chick; Hair cell; Tip link; Acoustic injury; Hearing loss; Cochlear damage; Recovery of function (Husbands, J.M. (135) 135)

Cat
Cochlear implant; Electrical stimulation; Auditory nerve; Single-fiber recording; Compound action potential; Model; Population response (Miller, C.A. (135) 1)

Noise trauma; Auditory cortex; Single unit; Local field potential; Frequency tuning; Spontaneous activity; Tinnitus (Kimura, M. (135) 146)

Chick
Auditory system; Hair cell; Tip link; Basilar papilla; Acoustic injury; Hearing loss; Cochlear damage; Recovery of function (Husbands, J.M. (135) 135)

Chick embryo
Cochlear ganglion; Development; Potassium current; Neurotrophin (García-Díaz, J.F. (135) 124)

Cochlea
Nitric oxide synthase; Fluoro-Gold; Retrograde tracing; Superior olivary complex (Riemann, R. (135) 181)

Diffusion; Hearing; Confocal microscope; Fluidity; Phospholipid bilayer (Oghalai, J.S. (135) 19)

Mechanical response; Guinea pig; Heterodyne interferometry; Nonlinearity; Harmonic distortion; Waveform distortion; Tuning curves; Negative feedback (Khanna, S.M. (135) 89)

Cochlear damage
Auditory system; Chick; Hair cell; Tip link; Basilar papilla; Acoustic injury; Hearing loss; Recovery of function (Husbands, J.M. (135) 135)

Cochlear ganglion
Chick embryo; Development; Potassium current; Neurotrophin (García-Díaz, J.F. (135) 124)

Cochlear implant
Electrical stimulation; Auditory nerve; Cat; Single-fiber recording; Compound action potential; Model; Population response (Miller, C.A. (135) 1)

Cochlear scala; Measurement (Wysocki, J. (135) 39)

Psychophysics; Human; Animal; Single pulse; Threshold; Auditory prosthesis; Species; Strength-duration function (Miller, A.L. (135) 47)

Cochlear potential
Antisense; Toxicity; Otoacoustic emission; ATP receptor (LeBlanc, C.S. (135) 105)

Cochlear scala
Measurement; Cochlear implant (Wysocki, J. (135) 39)

Compound action potential
Cochlear implant; Electrical stimulation; Auditory nerve; Cat; Single-fiber recording; Model; Population response (Miller, C.A. (135) 1)

Confocal microscope
Diffusion; Cochlea; Hearing; Fluidity; Phospholipid bilayer (Oghalai, J.S. (135) 19)

Contralateral suppression
Evoked otoacoustic emission; Acoustic stimulation; Electrical stimulation; Guinea pig (Popelář, J. (135) 61)

Delayed rectifier
Frog; Semicircular canal; Hair cell; Potassium current (Marcotti, W. (135) 113)

Development
Chick embryo; Cochlear ganglion; Potassium current; Neurotrophin (García-Díaz, J.F. (135) 124)

Diffusion
Cochlea; Hearing; Confocal microscope; Fluidity; Phospholipid bilayer (Oghalai, J.S. (135) 19)

Electrical stimulation
Cochlear implant; Auditory nerve; Cat; Single-fiber recording; Compound action potential; Model; Population response (Miller, C.A. (135) 1)

Evoked otoacoustic emission; Contralateral suppression; Acoustic stimulation; Guinea pig (Popelář, J. (135) 61)

Evoked otoacoustic emission
Contralateral suppression; Acoustic stimulation; Electrical stimulation; Guinea pig (Popelář, J. (135) 61)

Fluidity
Diffusion; Cochlea; Hearing; Confocal microscope; Phospholipid bilayer (Oghalai, J.S. (135) 19)

Fluoro-Gold
Nitric oxide synthase; Retrograde tracing; Superior olivary complex; Cochlea (Riemann, R. (135) 181)

Frequency tuning
Noise trauma; Cat; Auditory cortex; Single unit; Local field potential; Spontaneous activity; Tinnitus (Kimura, M. (135) 146)

Frog
Semicircular canal; Hair cell; Potassium current; Delayed rectifier (Marcotti, W. (135) 113)

Gamma-aminobutyric acid
Inferior colliculus; Aging; Antioxidant enzyme; Malondialdehyde; Protein kinase C; Mitochondrion (Mei, Y. (135) 169)

Gravity receptor
Vestibular evoked potential; Mammal; Utricle; Saccule (Jones, S.M. (135) 56)

Guinea pig
Evoked otoacoustic emission; Contralateral suppression; Acoustic stimulation; Electrical stimulation (Popelář, J. (135) 61)

Cochlea; Mechanical response; Heterodyne interferometry; Nonlinearity; Harmonic distortion; Waveform distortion; Tuning curves; Negative feedback (Khanna, S.M. (135) 89)

Hair cell
Frog; Semicircular canal; Potassium current; Delayed rectifier (Marcotti, W. (135) 113)

Auditory system; Chick; Tip link; Basilar papilla; Acoustic injury; Hearing loss; Cochlear damage; Recovery of function (Husbands, J.M. (135) 135)

Harmonic distortion
Cochlea; Mechanical response; Guinea pig; Heterodyne interferometry; Nonlinearity; Waveform distortion; Tuning curves; Negative feedback (Khanna, S.M. (135) 89)

Hearing
Diffusion; Cochlea; Confocal microscope; Fluidity; Phospholipid bilayer (Oghalai, J.S. (135) 19)

Hearing loss
Auditory system; Chick; Hair cell; Tip link; Basilar papilla; Acoustic injury; Cochlear damage; Recovery of function (Husbands, J.M. (135) 135)

Heterodyne interferometry
Cochlea; Mechanical response; Guinea pig; Nonlinearity; Harmonic distortion; Waveform distortion; Tuning curves; Negative feedback (Khanna, S.M. (135) 89)

Human
Cochlear implant; Psychophysics; Animal; Single pulse; Threshold; Auditory prosthesis; Species; Strength-duration function (Miller, A.L. (135) 47)

Human anatomy
Tensor tympani muscle; Stapedius muscle; Muscle spindle (Kierner, A.C. (135) 71)

Inferior colliculus
Aging; Antioxidant enzyme; Malondialdehyde; Protein kinase C; Mitochondrion; Gamma-aminobutyric acid (Mei, Y. (135) 169)

Innervation
Outer hair cell; Synapse; Organ of Corti; Japanese macaque; Three-dimensional reconstruction (Sato, M. (135) 29)

Japanese macaque
Outer hair cell; Synapse; Organ of Corti; Three-dimensional reconstruction; Innervation (Sato, M. (135) 29)

Local field potential
Noise trauma; Cat; Auditory cortex; Single unit; Frequency tuning; Spontaneous activity; Tinnitus (Kimura, M. (135) 146)

Malondialdehyde
Inferior colliculus; Aging; Antioxidant enzyme; Protein kinase C; Mitochondrion; Gamma-aminobutyric acid (Mei, Y. (135) 169)

Mammal
Vestibular evoked potential; Gravity receptor; Utricle; Saccule (Jones, S.M. (135) 56)

Measurement
Cochlear scala; Cochlear implant (Wysocki, J. (135) 39)

Mechanical response
Cochlea; Guinea pig; Heterodyne interferometry; Nonlinearity; Harmonic distortion; Waveform distortion; Tuning curves; Negative feedback (Khanna, S.M. (135) 89)

Micropipette aspiration
Outer hair cell; Salicylate; Subsurface cisternae (Lue, A.J.-C. (135) 163)

Mitochondrion
Inferior colliculus; Aging; Antioxidant enzyme; Malondialdehyde; Protein kinase C; Gamma-aminobutyric acid (Mei, Y. (135) 169)

Model
Cochlear implant; Electrical stimulation; Auditory nerve; Cat; Single-fiber recording; Compound action potential; Population response (Miller, C.A. (135) 1)

Mouse model
Sensorineural hearing loss; Prepulse inhibition; Auditory brainstem response; Startle (Willott, J.F. (135) 78)

Muscle spindle
Tensor tympani muscle; Stapedius muscle; Human anatomy (Kierner, A.C. (135) 71)

Negative feedback
Cochlea; Mechanical response; Guinea pig; Heterodyne interferometry; Nonlinearity; Harmonic distortion; Waveform distortion; Tuning curves (Khanna, S.M. (135) 89)

Neurotrophin
Chick embryo; Cochlear ganglion; Development; Potassium current (García-Díaz, J.F. (135) 124)

Nitric oxide synthase
Fluoro-Gold; Retrograde tracing; Superior olivary complex; Cochlea (Riemann, R. (135) 181)

Noise trauma
Cat; Auditory cortex; Single unit; Local field potential; Frequency tuning; Spontaneous activity; Tinnitus (Kimura, M. (135) 146)

Nonlinearity
Cochlea; Mechanical response; Guinea pig; Heterodyne interferometry; Harmonic distortion; Waveform distortion; Tuning curves; Negative feedback (Khanna, S.M. (135) 89)

Organ of Corti
Outer hair cell; Synapse; Japanese macaque; Three-dimensional reconstruction; Innervation (Sato, M. (135) 29)

Otoacoustic emission
Antisense; Toxicity; Cochlear potential; ATP receptor (LeBlanc, C.S. (135) 105)

Outer hair cell
Salicylate; Subsurface cisternae; Micropipette aspiration (Lue, A.J.-C. (135) 163)

Synapse; Organ of Corti; Japanese macaque; Three-dimensional reconstruction; Innervation (Sato, M. (135) 29)

Phospholipid bilayer
Diffusion; Cochlea; Hearing; Confocal microscope; Fluidity (Oghalai, J.S. (135) 19)

Population response
Cochlear implant; Electrical stimulation; Auditory nerve; Cat; Single-fiber recording; Compound action potential; Model (Miller, C.A. (135) 1)

Potassium current
Frog; Semicircular canal; Hair cell; Delayed rectifier (Marcotti, W. (135) 113)

Chick embryo; Cochlear ganglion; Development; Neurotrophin (García-Díaz, J.F. (135) 124)

Prepulse inhibition
Sensorineural hearing loss; Mouse model; Auditory brainstem response; Startle (Willott, J.F. (135) 78)

Protein kinase C
Inferior colliculus; Aging; Antioxidant enzyme; Malondialdehyde; Mitochondrion; Gamma-aminobutyric acid (Mei, Y. (135) 169)

Psychophysics
Cochlear implant; Human; Animal; Single pulse; Threshold; Auditory prosthesis; Species; Strength-duration function (Miller, A.L. (135) 47)

Recovery of function
Auditory system; Chick; Hair cell; Tip link; Basilar papilla; Acoustic injury; Hearing loss; Cochlear damage (Husbands, J.M. (135) 135)

Retrograde tracing
Nitric oxide synthase; Fluoro-Gold; Superior olivary complex; Cochlea (Riemann, R. (135) 181)

Saccule
Vestibular evoked potential; Mammal; Gravity receptor; Utricle (Jones, S.M. (135) 56)

Salicylate
Outer hair cell; Subsurface cisternae; Micropipette aspiration (Lue, A.J.-C. (135) 163)

Semicircular canal
Frog; Hair cell; Potassium current; Delayed rectifier (Marcotti, W. (135) 113)

Sensorineural hearing loss
Mouse model; Prepulse inhibition; Auditory brainstem response; Startle (Willott, J.F. (135) 78)

Single pulse
Cochlear implant; Psychophysics; Human; Animal; Threshold; Auditory prosthesis; Species; Strength-duration function (Miller, A.L. (135) 47)

Single unit
Noise trauma; Cat; Auditory cortex; Local field potential; Frequency tuning; Spontaneous activity; Tinnitus (Kimura, M. (135) 146)

Single-fiber recording
Cochlear implant; Electrical stimulation; Auditory nerve; Cat; Compound action potential; Model; Population response (Miller, C.A. (135) 1)

Species
Cochlear implant; Psychophysics; Human; Animal; Single pulse; Threshold; Auditory prosthesis; Strength-duration function (Miller, A.L. (135) 47)

Spontaneous activity
Noise trauma; Cat; Auditory cortex; Single unit; Local field potential; Frequency tuning; Tinnitus (Kimura, M. (135) 146)

Stapedius muscle
Tensor tympani muscle; Muscle spindle; Human anatomy (Kierner, A.C. (135) 71)

Startle
Sensorineural hearing loss; Mouse model; Prepulse inhibition; Auditory brainstem response (Willott, J.F. (135) 78)

Strength-duration function
Cochlear implant; Psychophysics; Human; Animal; Single pulse; Threshold; Auditory prosthesis; Species (Miller, A.L. (135) 47)

Subsurface cisternae
Outer hair cell; Salicylate; Micropipette aspiration (Lue, A.J.-C. (135) 163)

Superior olivary complex
Nitric oxide synthase; Fluoro-Gold; Retrograde tracing; Cochlea (Riemann, R. (135) 181)

Synapse
Outer hair cell; Organ of Corti; Japanese macaque; Three-dimensional reconstruction; Innervation (Sato, M. (135) 29)

Tensor tympani muscle
Stapedius muscle; Muscle spindle; Human anatomy (Kierner, A.C. (135) 71)

Three-dimensional reconstruction
Outer hair cell; Synapse; Organ of Corti; Japanese macaque; Innervation (Sato, M. (135) 29)

Threshold
Cochlear implant; Psychophysics; Human; Animal; Single pulse; Auditory prosthesis; Species; Strength-duration function (Miller, A.L. (135) 47)

Tinnitus
Noise trauma; Cat; Auditory cortex; Single unit; Local field potential; Frequency tuning; Spontaneous activity (Kimura, M. (135) 146)

Tip link
Auditory system; Chick; Hair cell; Basilar papilla; Acoustic injury; Hearing loss; Cochlear damage; Recovery of function (Husbands, J.M. (135) 135)

Toxicity
Antisense; Cochlear potential; Otoacoustic emission; ATP receptor (LeBlanc, C.S. (135) 105)

Tuning curves
Cochlea; Mechanical response; Guinea pig; Heterodyne interferometry; Nonlinearity; Harmonic distortion; Waveform distortion; Negative feedback (Khanna, S.M. (135) 89)

Utricle
Vestibular evoked potential; Mammal; Gravity receptor; Saccule (Jones, S.M. (135) 56)

Vestibular evoked potential
Mammal; Gravity receptor; Utricle; Saccule (Jones, S.M. (135) 56)

Waveform distortion
Cochlea; Mechanical response; Guinea pig; Heterodyne interferometry; Nonlinearity; Harmonic distortion; Tuning curves; Negative feedback (Khanna, S.M. (135) 89)